Innometrics
Trusted RFID Cards & Tags Supplier

Innometrier Technology

Trusted RFID Cards & Tags Supplier

Office Address

3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104 Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

Index

RFID Cards & Tags Summary 2

RFID Cards 3

RFID Tags 4

RFID Labels 6

RFID Wristbands 7

RFID Keyfobs 8

RFID Products Details Reference 9

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

Product	RFID	Frequency	Material	Dimensions	Personalization
RFID CARDS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	PVC, ABS, PET, PETG, PLA	85.6*54*0.84mm 85.6*54*1.8mm or Customized	Offset, laser, silk screen, Digital printing, Embossing, Spot UV, Anti-counterfeiting printing, Hologram, Barcode, QR Code, Sequential numbers, UID/EPC numbers, thermal transfer printing, hole punching, Metallic flakes, Magnetic stripe HICO/LOCO, Signature pannel, etc.
RFID TAGS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	ABS, TPU,PAPER, TEXTILE, STEEL, PVC,FPC	Customized	
RFID LABELS	LF,UHF	13.56Mhz 860-960Mhz	PET, PAPER	Customized	
RFID KEY FOBS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	SILICONE, ABS, FBC, WOVEN, TYVEK	Customized	
RFID WRISTBANDS	LF, HF	13.56Mhz 860-960Mhz	ABS, PVC, EPOXY	Customized	

Notes: Size, Shapes, Colors, Materials, Chipsets, Frequency, etc., all personalizations are available, Show us full and detailed requirement, the Right solutions will be offered

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



Clamshell Cards

Material	ABS
Dimension	85.6*54*1.8mm
Frequency	125Khz, 13.56Mhz, 860-960Mhz optional

MQQ	500 PCS



Printable White Cards (ISO)

Material	PVC, PET, PETG, PLA
Dimension	85.6*54*0.86mm
Frequency	125Khz, 13.56Mhz, 860-960Mhz optional

MQQ	500 PCS



Dual Frequency Cards

Material	PVC, PET, PETG, PLA (white/Transparent)
Dimension	85.6*54*0.86mm
Frequency	125Khz, 13.56Mhz, 860-960Mhz optional

MQQ	500 PCS



Wood Cards

Material	Eco-Friendly Wood
Dimension	85.6*54*0.86mm
Frequency	125Khz, 13.56Mhz, 860-960Mhz optional

MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID Windshield Tags

Material	PET, Paper
Dimension	110*45*0.39mm, 110*40*0.30mm, 105*30mm*0.28mm, customized
Frequency	EU: 865-869MHz US: 902-928MHz
Packing method	Single pieces/in Rool
Key Applications	Parking management, Toll Gating Management
MQQ	500 PCS



RFID on Metal Tags

Material	ABS
Dimension	75*25*6mm,135*21*12mm, customized
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Container management, Asset management, Logistics Tracking management
MQQ	500 PCS



RFID Flexible on Metal Tags

Material	PET, Paper
Dimension	110*45*0.39mm, 110*40*0.30mm, 105*30mm*0.28mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Packing method	Single pieces/in Rool
Key Applications	Asset Management, Retail Management
MQQ	500 PCS



RFID Check Point Tags

Type	RFID Check Point Tags
Material	ABS
Dimension	Φ35mm, 30*30mm, 73*35mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Patrol Garding
MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID High Temp Tags

Material	PPS
Dimension	Φ50mm, 46*38*8mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Temperature	-50℃ to 200℃
Key Applications	Steel,Mold,Automobile manufacturing

MQQ	500 PCS



RFID PVC Tags

Material	PVC+3M Adhesive
Dimension	Φ18mm,Φ20mm,Φ25mm,Φ30mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Access Control, payment management

MQQ	500 PCS



RFID Animal Tags

Material	TPU
Dimension	Φ30mm, 70*80*3mm, customzied
Frequency	HF: 13.56Mhz, EU: 865-869MHz, US: 902-928MHz
Key Applications	Aminal tracking management

MQQ	500 PCS



RFID Laundry Tags

Material	PPS, Silicone, Textile
Dimension	Φ18mm, 55*12mm, 70*15mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Industrial Washing management, Hospital and Hotel Laundry management

MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID Lead Seal Tags

Material	ABS and Steel Wire
Dimension	44*28*8mm, 58*55*5mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Temperature	-50℃ to 200℃
Key Applications	Truck tracking and container management

MQQ	500 PCS



RFID Tie Tags

Material	ABS
Dimension	Φ30mm, 50*28*4mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Logistics & container management, Asset Management, Fire extinguisher Management, Trash can Management

MQQ	500 PCS



RFID Nail Tags

Material	ABS
Dimension	Φ41*28*Φ6mm, 38*10*Φ6mm, 40*12*Φ10mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Trees Grouth Management

MQQ	500 PCS



RFID Labels

Material	PET, Paper
Dimension	37*22mm,15*15mm, Size, Square & Rectangle Customized
Frequency	13.56Mhz, 860-960Mhz, optional
Packing method	single pieces/in Rool

MQQ	10000 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID Silicone Wristbands

Material	Silicone
Dimension	Φ55mm, Φ65mm,Φ75mm, Customized
Frequency	LF: 125Khz HF: 13.56Mhz
	EU: 865-869MHz US: 902-928MHz
Key Applications	Gym, Swimming pool, Payment Management
MQQ	500 PCS



RFID ABS Wristbands

Material	ABS
Dimension	Φ55mm, Φ65mm,Φ75mm, Customized
Frequency	125Khz, 13.56Mhz
Key Applications	Gym, Swimming pool, Payment Management
MQQ	500 PCS



RFID Disposable Wristbands

Material	Paper, Tyvek
Dimension	Φ55mm, Φ65mm,Φ75mm, Customized
Frequency	LF: 125Khz HF: 13.56Mhz
	EU: 865-869MHz US: 902-928MHz
Key Applications	Event Management, Hotel management, Patient Management
MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



ABS Keyfobs

Material	ABS
Dimension	35*28*5.5MM, Customized
Frequency	125Khz, 13.56Mhz, optional
Color	Blue, Red,Black,Yellow,Customized

MQQ	500 PCS



RFID Epoxy Tags

Material	PVC,PET + Epoxy
Dimension	50*30*4MM, Φ55mm,Customzied
Frequency	125Khz, 13.56Mhz,Optional

MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Cards

Clamshell Cards

INNO-CMCARD-PROX-EM	EM Cards 125Khz, ISO 18000, Clamshell 1.8mm,EM4200/EM4305, Long range upto 1m, white/pre-printing
INNO-CMCARD-PROX-HID	HID Cards 125Khz, ISO 18000, Clamshell 1.8mm, AT5577, HID compatible, white/pre-printing
INNO-CMCARD-PROX-TK	EM Cards 125Khz, ISO 18000, Clamshell 1.8mm, TK4100, white/pre-printing

Dual Technology Cards

INNO-DLCARD-EMF	Dual Cards, EM/HID 125Khz + Mifare 13.56Mhz, 0.84mm, white/pre-printing/transparent
INNO-DLCARD-EU	Dual Cards, EM/HID 125Khz + Gen2 UHF 860-960Mhz, 0.84mm, white/pre-printing/transparent
INNO-ULCARD-MU	Dual Cards, Mifare 13.56Mhz + Gen2 UHF 860-960Mhz, 0.84mm, white/pre-printing/transparent

Wood Cards

INNO-ISOCARD-WD	EM/HID/Mifare/UHF Cards, 125Khz/13.56Mhz,860-960Mhz, 0.84mm, Wood color, personalization available

Printable White Cards

INNO-ISOCARD-PROX	EM Cards 125Khz, ISO 18000, TK4100/AT5577/EM4200/EM4305. 0.84mm, Egg white printbale surface
INNO-ISOCARD-UHF	UHF Cards, 860-960Mhz, ISO18000-6C/EPC Gen2, Alien H3 9662, 0.84mm, Egg white printable surface
INNO-ISOCARD-MF1K4K	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Classic EV1 1K/4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD21	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV1 2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD22	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV2 2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD23	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV3 2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD41	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV1 4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD42	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV2 4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD43	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV3 4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD81	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV1 8K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD82	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV2 8K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFD83	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Desfire EV3 8K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFPX2	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus X2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFPX4	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus X4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFPS2	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus S2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFPS4	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus S4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFPSE1	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus SE1K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFP12	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus EV1 2K, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFP14	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Plus EV1 4K, 0.84mm, Egg white printable surface
INNO-ISOCARD-NFC213	NFC Cards 13.56Mhz, ISO 14443A, NXP NTAG213, 0.84mm, Egg white printable surface
INNO-ISOCARD-NFC215	NFC Cards 13.56Mhz, ISO 14443A, NXP NTAG215, 0.84mm, Egg white printable surface
INNO-ISOCARD-NFC216	NFC Cards 13.56Mhz, ISO 14443A, NXP NTAG216, 0.84mm, Egg white printable surface
INNO-ISOCARD-ICD2	Mifare Cards 13.56Mhz, ISO 15693, ICODE 2, 0.84mm, Egg white printable surface

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

INNO-ISOCARD-ICDSX	Mifare Cards 13.56Mhz, ISO 15693, ICODE SLIX, 0.84mm, Egg white printable surface
INNO-ISOCARD-ICDSXL	Mifare Cards 13.56Mhz, ISO 15693, ICODE SLI-L, 0.84mm, Egg white printable surface
INNO-ISOCARD-ICDSXS	Mifare Cards 13.56Mhz, ISO 15693, ICODE SLI-X, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFUL	Mifare Cards 13.56Mhz, ISO 14443A, NXP Ultralight, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFULC	Mifare Cards 13.56Mhz, ISO 14443A, NXP Ultralight-C, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFULC1	Mifare Cards 13.56Mhz, ISO 14443A, NXP Ultralight EV1, 0.84mm, Egg white printable surface
INNO-ISOCARD-MFULC2	Mifare Cards 13.56Mhz, ISO 14443A, NXP Ultralight EV2, 0.84mm, Egg white printable surface
INNO-EMCARD-INKJET	EM Cards 125Khz, ISO 18000, TK4100/AT5577/EM4200/EM4305. 0.84mm, Egg white, Inkjet printbale surface
INNO-MFCARD-INKJET	Mifare Cards 13.56Mhz, ISO 14443A, NXP Mifare Classic 1K, 0.84mm, Egg white, Inkjet printable surface

RFID Labels

Alien Series Labels

INNO-LBALN-9662	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9662, EPC 96bits, TID 64bits,User 512bits, 73*21mm, Dry/Wet Inlay
INNO-LBALN-9654	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 96*22mm, Dry/Wet Inlay
INNO-LBALN-9962	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H9-9962, EPC 96bits, EPC up to 496bits, TID 48bits, User up to 688bits, 73*20mm, Dry/Wet Inlay
INNO-LBALN-9962	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H9-9954, EPC up to 496bits, TID 48bits, User up to 688bits, 97*23mm, Dry/Wet Inlay

ICODE Series Labels

INNO-LBNXP-ICD5050	HF Labels, 13.56Mhz, ISO 15693, NXP ICODE SLIX, User 1024/2560 bits, 50*50mm, Dry/Wet Inlay
INNO-LBNXP-ICD8050	HF Labels, 13.56Mhz, ISO 15693, NXP ICODE SLIX2, User 1024/2560 bits, 80*50mm, Dry/Wet Inlay
INNO-LBNXP-ICDD25	HF Labels, 13.56Mhz, ISO 15693, NXP ICODE SLIX, User 1024/2560 bits, Φ25mm, Dry/Wet Inlay
INNO-LBNXP-ICDD28	HF Labels, 13.56Mhz, ISO 15693, NXP ICODE SLIX, User 1024/2560 bits, Φ28mm,, Dry/Wet Inlay
INNO-LBNXP-ICDD36	HF Labels, 13.56Mhz, ISO 15693, NXP ICODE SLIX, User 1024/2560 bits, Φ36mm,, Dry/Wet Inlay

Impinj Series Labels

INNO-LBIPJ-M4QT	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza M4E, EPC 96bits, TID 512bits, User 96bits, 47*47mm, Dry/Wet Inlay
INNO-LBIPJ-M700	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Impinj M700, EPC 128bits, TID 48bits,User 0bits, 48*31mm, Dry/Wet Inlay
INNO-LBIPJ-M730	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Impinj M730, EPC 128bits, TID 48bits,User 0bits, 74*19mm, Dry/Wet Inlay
INNO-LBIPJ-M750	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Impinj M750, EPC 96bits, TID 48bits,User 32bits, 46*19mm, Dry/Wet Inlay
INNO-LBIPJ-R64318	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 43*18mm, Dry/Wet Inlay
INNO-LBIPJ-R64419	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 44*19mm, Dry/Wet Inlay

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

INNO-LBIPJ-R65434	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 54*34mm, Dry/Wet Inlay
INNO-LBIPJ-R67317	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 73*17mm, Dry/Wet Inlay
INNO-LBIPJ-R69428	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 94*28mm, Dry/Wet Inlay
INNO-LBIPJ-R69806	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 98*06mm, Dry/Wet Inlay
INNO-LBIPJ-R69812	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 98*12mm, Dry/Wet Inlay
INNO-LBIPJ-R69814	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Monza R6/R6P, EPC 96bits/128bits, TID 48bits,User 0bits, 98*14mm, Dry/Wet Inlay

NFC Series Labels

INNO-LBNFC-NTG1818	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, 18*18mm, Dry/Wet Inlay
INNO-LBNFC-NTG2111	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, 21*11mm, Dry/Wet Inlay
INNO-LBNFC-NTG2914	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, 29*14mm, Dry/Wet Inlay
INNO-LBNFC-NTGD21	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, Φ21mm, Dry/Wet Inlay
INNO-LBNFC-NTGD24	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, Φ24mm, Dry/Wet Inlay
INNO-LBNFC-NTGD25	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, Φ25mm, Dry/Wet Inlay
INNO-LBNFC-NTGD30	NFC Labels, 13.56Mhz, ISO14443A, NXP NTAG 213/215/216, Φ30mm, Dry/Wet Inlay

NXP Mifare Series Labels

INNO-LBNXP-MF1K3535	Mifare 1K Labels, 13.56Mhz, ISO14443A, NXP Mifare Classic 1K, 35*35mm, Dry/Wet Inlay
INNO-LBNXP-MF1K4025	Mifare 1K Labels, 13.56Mhz, ISO14443A, NXP Mifare Classic 1K, 40*25mm, Dry/Wet Inlay

U8,U9 Series Labels

INNO-LBNXP-U84318	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 128bits, TID 96bits,User 0bits, 43*18mm, Dry/Wet Inlay
INNO-LBNXP-U85434	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 128bits, TID 96bits,User 0bits, 54*34mm, Dry/Wet Inlay
INNO-LBNXP-U87318	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 128bits, TID 96bits,User 0bits, 73*18mm, Dry/Wet Inlay
INNO-LBNXP-U9D28	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, Φ28mm, Dry/Wet Inlay
INNO-LBNXP-U9D30	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, Φ30mm, Dry/Wet Inlay
INNO-LBNXP-U94419	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 44*19mm, Dry/Wet Inlay
INNO-LBNXP-U95434	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 54*34mm, Dry/Wet Inlay

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

INNO-LBNXP-U97317	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 73*17mm, Dry/Wet Inlay
INNO-LBNXP-U99322	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 93*22mm, Dry/Wet Inlay
INNO-LBNXP-U99727	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 97*27mm, Dry/Wet Inlay
INNO-LBNXP-U99812	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, NXP UCODE 8, EPC 96bits, TID 48bits,User 0bits, 98*12mm, Dry/Wet Inlay

UCODE DNA Series Labels

INNO-LBNXP-UDNA7815	UHF Labels, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C,NXP UCODE DNA, EPC 224bits, TID 48bits, User 3072bits, 78*15mm, Dry/Wet Inlay

RFID Keyfobs

RFID ABS Keyfobs

INNO-KEYFOB-1	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 44*31*5mm, Blue/yellow/black…customized colors
INNO-KEYFOB-2	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 35*28*5.5mm, Blue/yellow/black…customized colors
INNO-KEYFOB-3	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 41*32*3.8mm, Blue/yellow/black…customized colors
INNO-KEYFOB-5	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 37*30*8mm, Blue/yellow/black…customized colors
INNO-KEYFOB-7	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 55*31*6mm, Blue/yellow/black…customized colors
INNO-KEYFOB-8	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 51*33*5.8mm, Blue/yellow/black…customized colors
INNO-KEYFOB-9	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 43*31*4mm, Blue/yellow/black…customized colors
INNO-KEYFOB-13	EM/HID/Mifare keyfobs 125Khz/13.56Mhz, ISO 18000/14443A, 51*32*4mm, Blue/yellow/black…customized colors

RFID Epoxy Tags

INNO-EPTAG-MF	Mifare Epoxy Tags, 13.56Mhz, ISO 14443A, 50*30*4mm, Customized sizes, shapes, colors, etc.
INNO-EPTAG-NFC	NFC Epoxy Tags, 13.56Mhz, ISO 14443A, 45*26*4mm, Customized sizes, shapes, colors, etc.
INNO-EPTAG-PROX	EM/HID Epoxy Tags, 125Khz, ISO 18000, 57*30*4mm, Customized sizes, shapes, colors, etc.

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Tags

RFID Windshield Tags

INNO-TAG-UHF-WSPAPER	UHF Paper Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive
INNO-TAG-UHF-WSPET	UHF PET Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive
INNO-TAG-UHF-WSTAP	UHF Tamper Proof Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive

RFID on Metal Tags

INNO-MTTAG-ABS7025	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 70*25*6mm, 3M Adhesive and Screw
INNO-MTTAG-ABS7831	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 78*31*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8520	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 85*20*11mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8824	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 88*24*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8928	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 89*28*8mm, 3M Adhesive and Screw
INNO-MTTAG-ABS10122	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 101*23*20mm, 3M Adhesive and Screw,
INNO-MTTAG-ABS11630	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 116*30*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS13521	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 135*21*12mm, 3M Adhesive and Screw
INNO-MTTAG-ABS14538	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 145*38*12mm, 3M Adhesive and Screw
INNO-MTTAG-ABS15231	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 152*31*10mm, 3M Adhesive and Screw

RFID Flexible on Metal Tags

INNO-MTTAG-FL3015	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 30x15x1.25mm, 3M Adhesive
INNO-MTTAG-FL4804	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 48x4x1mm, 3M Adhesive
INNO-MTTAG-FL5515	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 55X15x1mm, 3M Adhesive

INNO-MTTAG-FL6025	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 60X25x1mm, 3M Adhesive
INNO-MTTAG-FL6535	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 65x35x1mm, 3M Adhesive
INNO-MTTAG-FL9522	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 95X22x1.25mm, 3M Adhesive
INNO-MTTAG-FL10013	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 100x13x1mm, 3M Adhesive
INNO-MTTAG-FL10040	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 100x40x1mm, 3M Adhesive

RFID High Temperature Tags

INNO-CNTAG-HTD14	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ14*2mm,-50℃-200℃, Black
INNO-CNTAG-HTD25	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ25*2.5mm,-50℃-200℃, Black
INNO-CNTAG-HTD26	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ26*3mm,-50℃-200℃, Black
INNO-CNTAG-HTD30	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ30*3mm,-50℃-200℃, Black
INNO-CNTAG-HTD50	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ50*3mm,-50℃-200℃, Black
INNO-MTTAG-HT4631	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,46*31*7mm,-50℃-200℃, Black
INNO-MTTAG-HT4836	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,48*36*8mm,-50℃-200℃, Black

RFID PVC Tags

INNO-CNTAG-AD	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm,Φ20mm, Φ25mm,Φ30mm,Blank/Pre-printing, 3M Adhesive
INNO-CNTAG-PVC	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm, Φ20mm,Φ25mm,Φ30mm,Blank/Pre-printing
INNO-CNTAG-TRS	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm, Φ20mm,Φ25mm,Φ30mm,Blank/Pre-printing, Transperant

RFID Animal Tags

INNO-AMTAG-6373	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 63*73*2mm, Yellow/blue… customized colors
INNO-AMTAG-7080	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 70*80*3mm, Yellow/blue… customized colors
INNO-AMTAG-75100	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 75*100*2mm, Yellow/blue… customized colors
INNO-AMTAG-D30	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, Φ30mm, Yellow/blue… customized colors

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Laundry Tags

INNO-LDPPS-D18	UHF Hard button Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ18*28mm,-25℃~+180℃, Black
INNO-LDSIL-5512	UHF Silicone Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,55*12*2.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-4125	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,41*25*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-5815	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,58*15*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-7010	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,70*10*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-7015	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,70*15*1.5mm,-25℃~+180℃, Black/Blue/Green…

RFID Tie Tags

INNO-TIETAG-1219	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 12*19*3.0mm
INNO-TIETAG-3323	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 33*23*6.2mm
INNO-TIETAG-5028	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 50*28*4.0mm
INNO-TIETAG-5353	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 53*53*3.5mm
INNO-TIETAG-6824	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 68*24*3.5mm
INNO-TIETAG-7530	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 75*30*3.5mm
INNO-TIETAG-8828	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 88*28*3.5mm
INNO-TIETAG-D28	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, Φ28*2.5mm
INNO-TIETAG-D30	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, Φ30*4.0mm

RFID Lead Seal Tags

INNO-SLTAG-UHF3826	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,38*26*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4128	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,41*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF4428	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,44*28*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4544	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,45*44*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4828	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,48*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF5350	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,53*50*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF5856	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,58*56*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

INNO-SLTAG-UHF6028	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,60*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF7828	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,78*28*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF8030	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,80*30*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF10028	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,100*28*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…

RFID Nail Tags

INNO-NLTAG-1038	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ6*10*38mm, Black
INNO-NLTAG-1240	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ10*12*40mm, Black
INNO-NLTAG-2840	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ28*40*6mm, Black
INNO-NLTAG-UHF4128	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ28*41*7mm, Black

RFID Wristbands

RFID Silicone Wristbands

INNO-WB-SI01	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, φ55mm/φ65mm/φ75mm, Black/Red/Yellow…
INNO-WB-SI02	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, φ55mm/φ65mm/φ75mm, Black/Red/Yellow…
INNO-WB-SI03	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Φ48mm/φ55mm/φ65mm, Black/Red/Yellow…
INNO-WB-SI05	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Adjustable sizes, Black/Red/Yellow…
INNO-WB-SI06	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Adjustable sizes, Black/Red/Yellow…
INNO-WB-SI08	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, φ55mm/φ65mm, Black/Red/Yellow…
INNO-WB-SI11	EM/HID/Mifare Silicone Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Adjustable sizes, Black/Red/Yellow…

RFID Silicone Wristbands

INNO-WB-ABS01	EM/HID/Mifare ABS Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, φ65mm, Black/Red/Yellow…
INNO-WB-ABS02	EM/HID/Mifare ABS Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, φ65mm, Black/Red/Yellow…

RFID FBC Wristbands

INNO-WB-FBC	EM/HID/Mifare Fabric + PVC Wristbands, 125Khz/13.56Mhz,ISO 18000/14443A, Customzied size, Black/Red/Yellow…
INNO-WB-FBE	EM/HID/Mifare Fabric + Wood Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Customzied size, Black/Red/Yellow…

RFID Other Wristbands

INNO-WB-TVD	EM/HID/Mifare Disposable Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Customzied size, Black/Red/Yellow…
INNO-WB-UHFL252	UHF Silicone Wristband, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C,21*252mm Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-WB-WOS	EM/HID/Mifare Woven Wristbands, 125Khz/13.56Mhz, ISO 18000/14443A, Customzied size, Black/Red/Yellow…

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com