Innometrics
Trusted RFID Cards & Tags Supplier

InnoRfid Technology

RFID Cards & Tags

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China,
518104 Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

Summary

Innometrics
Trusted RFID Cards & Tags Supplier

Product	RFID	Frequency	Material	Dimensions	Personalization
RFID CARDS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	PVC, ABS, PET, PETG, PLA	85.6*54*0.84mm 85.6*54*1.8mm or Customized	Offset, laser, silk screen, Digital printing, Embossing, Spot UV, Anti-counterfeiting printing, Hologram, Barcode, QR Code, Sequential numbers, UID/EPC numbers, thermal transfer printing, hole punching, Metallic flakes, Magnetic stripe HICO/LOCO, Signature pannel, etc.
RFID TAGS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	ABS, TPU,PAPER, TEXTILE, STEEL, PVC,FPC	Customized	
RFID LABELS	LF,UHF	13.56Mhz 860-960Mhz	PET, PAPER	Customized	
RFID KEY FOBS	LF, HF UHF	125Khz 13.56Mhz 860-960Mhz	SILICONE, ABS, FBC, WOVEN, TYVEK	Customized	
RFID WRISTBANDS	LF, HF	13.56Mhz 860-960Mhz	ABS, PVC, EPOXY	Customized	

Notes: Size, Shapes, Colors, Materials, Chipsets, Frequency, etc., all personalizations are available, Show us full and detailed requirement, the Right solutions will be offered

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID Windshield Tags

Material	PET, Paper
Dimension	110*45*0.39mm, 110*40*0.30mm, 105*30mm*0.28mm, customized
Frequency	EU: 865-869MHz US: 902-928MHz
Packing method	Single pieces/in Rool
Key Applications	Parking management, Toll Gating Management
MQQ	500 PCS



RFID on Metal Tags

Material	ABS
Dimension	75*25*6mm,135*21*12mm, customized
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Container management, Asset management, Logistics Tracking management
MQQ	500 PCS



RFID Flexible on Metal Tags

Material	PET, Paper
Dimension	110*45*0.39mm, 110*40*0.30mm, 105*30mm*0.28mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Packing method	Single pieces/in Rool
Key Applications	Asset Management, Retail Management
MQQ	500 PCS



RFID Check Point Tags

Type	RFID Check Point Tags
Material	ABS
Dimension	Φ35mm, 30*30mm, 73*35mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Patrol Garding
MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID High Temp Tags

Material	PPS
Dimension	Φ50mm, 46*38*8mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Temperature	-50℃ to 200℃
Key Applications	Steel,Mold,Automobile manufacturing

MQQ	500 PCS



RFID PVC Tags

Material	PVC+3M Adhesive
Dimension	Φ18mm,Φ20mm,Φ25mm,Φ30mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Access Control, payment management

MQQ	500 PCS



RFID Animal Tags

Material	TPU
Dimension	Φ30mm, 70*80*3mm, customzied
Frequency	HF: 13.56Mhz, EU: 865-869MHz, US: 902-928MHz
Key Applications	Aminal tracking management

MQQ	500 PCS



RFID Laundry Tags

Material	PPS, Silicone, Textile
Dimension	Φ18mm, 55*12mm, 70*15mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Industrial Washing management, Hospital and Hotel Laundry management

MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com



RFID Lead Seal Tags

Material	ABS and Steel Wire
Dimension	44*28*8mm, 58*55*5mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Temperature	-50℃ to 200℃
Key Applications	Truck tracking and container management

MQQ	500 PCS



RFID Tie Tags

Material	ABS
Dimension	Φ30mm, 50*28*4mm, customzied
Frequency	EU: 865-869MHz US: 902-928MHz
Key Applications	Logistics & container management, Asset Management, Fire extinguisher Management, Trash can Management

MQQ	500 PCS



RFID Nail Tags

Material	ABS
Dimension	Φ41*28*Φ6mm, 38*10*Φ6mm, 40*12*Φ10mm, customzied
Frequency	125Khz, 13.56Mhz
Key Applications	Trees Grouth Management

MQQ	500 PCS

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Windshield Tags

INNO-TAG-UHF-WSPAPER	UHF Paper Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive
INNO-TAG-UHF-WSPET	UHF PET Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive
INNO-TAG-UHF-WSTAP	UHF Tamper Proof Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3-9654, EPC 96bits, TID 64bits,User 512bits, 110*45*0.39mm, 3M Adhesive

RFID on Metal Tags

INNO-MTTAG-ABS7025	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 70*25*6mm, 3M Adhesive and Screw
INNO-MTTAG-ABS7831	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 78*31*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8520	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 85*20*11mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8824	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 88*24*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS8928	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 89*28*8mm, 3M Adhesive and Screw
INNO-MTTAG-ABS10122	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 101*23*20mm, 3M Adhesive and Screw,
INNO-MTTAG-ABS11630	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 116*30*10mm, 3M Adhesive and Screw
INNO-MTTAG-ABS13521	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 135*21*12mm, 3M Adhesive and Screw
INNO-MTTAG-ABS14538	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 145*38*12mm, 3M Adhesive and Screw
INNO-MTTAG-ABS15231	UHF on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, Impinj M730, etc., 152*31*10mm, 3M Adhesive and Screw

RFID Flexible on Metal Tags

INNO-MTTAG-FL3015	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 30x15x1.25mm, 3M Adhesive
INNO-MTTAG-FL4804	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 48x4x1mm, 3M Adhesive
INNO-MTTAG-FL5515	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 55X15x1mm, 3M Adhesive
INNO-MTTAG-FL6025	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 60X25x1mm, 3M Adhesive
INNO-MTTAG-FL6535	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 65x35x1mm, 3M Adhesive
INNO-MTTAG-FL9522	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 95X22x1.25mm, 3M Adhesive
INNO-MTTAG-FL10013	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 100x13x1mm, 3M Adhesive
INNO-MTTAG-FL10040	UHF Plexible on Metal Tags, 860-960Mhz, EPC Class1 Gen2/ISO18000-6C, Alien H3/H9, NXP U8/U9, etc., 100x40x1mm, 3M Adhesive

RFID High Temperature Tags

INNO-CNTAG-HTD14	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ14*2mm,-50˚C–200˚C, Black
INNO-CNTAG-HTD25	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ25*2.5mm,-50˚C–200˚C, Black
INNO-CNTAG-HTD26	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ26*3mm,-50˚C–200˚C, Black
INNO-CNTAG-HTD30	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ30*3mm,-50˚C–200˚C, Black
INNO-CNTAG-HTD50	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ50*3mm,-50˚C–200˚C, Black
INNO-MTTAG-HT4631	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,46*31*7mm,-50˚C–200˚C, Black
INNO-MTTAG-HT4836	UHF High Temp Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,48*36*8mm,-50˚C–200˚C, Black

RFID PVC Tags

INNO-CNTAG-AD	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm,Φ20mm, Φ25mm,Φ30mm,Blank/Pre-printing, 3M Adhesive
INNO-CNTAG-PVC	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm, Φ20mm,Φ25mm,Φ30mm,Blank/Pre-printing
INNO-CNTAG-TRS	EM/HID/Mifare Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ18mm, Φ20mm,Φ25mm,Φ30mm,Blank/Pre-printing, Transperant

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Animal Tags

INNO-AMTAG-6373	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 63*73*2mm, Yellow/blue… customized colors
INNO-AMTAG-7080	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 70*80*3mm, Yellow/blue… customized colors
INNO-AMTAG-75100	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, 75*100*2mm, Yellow/blue… customized colors
INNO-AMTAG-D30	Mifare/UHF Tags, 13.56Mhz/860-960Mhz, 14443AEPC Class1 Gen2/ISO18000-6C, Φ30mm, Yellow/blue… customized colors

RFID Laundry Tags

INNO-LDPPS-D18	UHF Hard button Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,Φ18*28mm,-25℃~+180℃, Black
INNO-LDSIL-5512	UHF Silicone Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,55*12*2.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-4125	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,41*25*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-5815	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,58*15*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-7010	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,70*10*1.5mm,-25℃~+180℃, Black/Blue/Green…
INNO-LDTXT-7015	UHF Textile Laundry Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,70*15*1.5mm,-25℃~+180℃, Black/Blue/Green…

RFID Tie Tags

INNO-TIETAG-1219	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 12*19*3.0mm
INNO-TIETAG-3323	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 33*23*6.2mm
INNO-TIETAG-5028	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 50*28*4.0mm
INNO-TIETAG-5353	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 53*53*3.5mm
INNO-TIETAG-6824	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 68*24*3.5mm
INNO-TIETAG-7530	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 75*30*3.5mm
INNO-TIETAG-8828	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, 88*28*3.5mm
INNO-TIETAG-D28	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, Φ28*2.5mm
INNO-TIETAG-D30	EM/HID/Mifare/UHF Tags, 125Khz/13.56Mhz/860-960Mhz, ISO 18000/14443A/EPC Class1 Gen2/ISO18000-6C, Φ30*4.0mm

Office Address
3rd Floor, Bld.D,Juji industrial park, Yubian xueziwei, Yubian community, Shajing Street, Baoan district, Shenzhen, China, 518104
Tel: +0086-15976891693 – boby@innometricstech.com – www.innometricstech.com

RFID Lead Seal Tags

INNO-SLTAG-UHF3826	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,38*26*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4128	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,41*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF4428	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,44*28*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4544	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,45*44*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF4828	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,48*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF5350	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,53*50*8mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF5856	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,58*56*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF6028	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,60*28*13mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF7828	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,78*28*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…
INNO-SLTAG-UHF8030	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,80*30*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Black/Red…
INNO-SLTAG-UHF10028	UHF Lead Seal Tags, 860-960Mhz,EPC Class1 Gen2/ISO18000-6C,100*28*5mm, Alien H3/H9, NXP U8/U9, Impinj M730, etc., Yellow/Red…

RFID Nail Tags

INNO-NLTAG-1038	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ6*10*38mm, Black
INNO-NLTAG-1240	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ10*12*40mm, Black
INNO-NLTAG-2840	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ28*40*6mm, Black
INNO-NLTAG-UHF4128	EM/HID/Mifare Nail Tags, 125Khz/13.56Mhz, ISO 18000/14443A, Φ28*41*7mm, Black